



VELTEK ASSOCIATES, INC.

DEC-QUAT® 200V

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
Date of issue: 15/12/2011 Revision date: 26/10/2023 Supersedes: 21/01/2022 Version: 5.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : DEC-QUAT® 200V
UFI : FSE3-Y0AA-V00N-X93U
Product code : SDS VEL-034-EU

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Disinfectant
Cleaning agent

1.2.2. Uses advised against

Restrictions on use : Product for industrial use only

1.3. Details of the supplier of the safety data sheet

Veltek Associates, Inc.
15 Lee Blvd
Malvern, PA 19355-1234 USA
Telephone: +1 610-644-8335 - Fax: +1 610-644-8336
E-mail: vai@sterile.com

Veltek Associates Inc., Branch Office Europe
PO Box 1062, 8200 BB Lelystad, Netherlands
Customer service (USA): +800 00888700

India distributor:
Tansha
A-17, Wadala Shriram, Industrial Estate
G. D. Ambekar Marg
Wadala, Mumbai- 400 031 India
Telephone: +91 22-43560400

1.4. Emergency telephone number

Emergency number : For Spill/Exposure Emergency Response Service in Europe in English (and 23 other European languages) (24 hours): +44 (0)1235 239 670
For Middle East/Africa (24 hours): +44 (0)1235 239 671
For Hindi (24 hours): 000 800 100 7479

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Oral) H302

DEC-QUAT® 200V

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Skin Corr. 1C	H314
Eye Dam. 1	H318
Aquatic Acute 1	H400
Aquatic Chronic 3	H412

Full text of hazard classes, H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

GHS07

GHS09

Signal word (CLP)

: Danger

Contains

: Didecyldimethylammonium chloride, Alcohols, C9-11, branched and linear, ethoxylated, tetrasodium ethylene diamine tetraacetate, Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

Hazard statements (CLP)

: H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P260 - Do not breathe vapours.

P280 - Wear eye protection, protective gloves, protective clothing.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a doctor.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

DEC-QUAT® 200V

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Didecyldimethylammonium chloride	CAS-No.: 7173-51-5 EC No.: 230-525-2 EC index No.: 612-131-00-6	9.6 - 10.6	Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 2, H411 EUH071
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	CAS-No.: 68424-85-1 EC No.: 270-325-2 REACH-no: 01-2119983287-23-XXXX	6.4 - 7.1	Acute Tox. 4 (Oral), H302 (ATE=426 mg/kg) Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Ethanol	CAS-No.: 64-17-5 EC No.: 200-578-6 EC index No.: 603-002-00-5	2.1 - 4.2	Flam. Liq. 2, H225 Eye Irrit. 2, H319
tetrasodium ethylene diamine tetraacetate	CAS-No.: 64-02-8 EC No.: 200-573-9 EC index No.: 607-428-00-2	2.9 - 3.2	Acute Tox. 4 (Oral), H302 (ATE=1780 mg/kg) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Eye Dam. 1, H318 STOT RE 2, H373
Alcohols, C9-11, branched and linear, ethoxylated	CAS-No.: 68439-46-3 EC No.: 500-446-0	2.3 - 2.5	Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If symptoms develop, obtain medical attention.

First-aid measures after skin contact : Take off immediately all contaminated clothing. Rinse skin with water/shower. Obtain immediate medical attention.

First-aid measures after eye contact : Rinse immediately with plenty of water for 15 minutes. Ensure that folded skin of eyelids is thoroughly washed with water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain immediate medical attention.

First-aid measures after ingestion : Do NOT induce vomiting. Rinse mouth. Give 100 - 200 ml of water to drink. Obtain immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Inhalation of vapours may cause respiratory irritation.

Symptoms/effects after skin contact : Causes burns.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : Severe irritation or burns to the mouth, throat, oesophagus, and stomach. Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

DEC-QUAT® 200V

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Alcohol-resistant foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid and vapour.
Explosion hazard : On heating, there is a risk of bursting due to internal pressure build-up. Cool down the containers exposed to heat with a water spray.
Hazardous decomposition products in case of fire : Hydrogen chloride. Nitrogen oxides. Carbon monoxide. Carbon dioxide.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Keep upwind. Use water spray or fog for cooling exposed containers. Do not allow run-off from fire fighting to enter drains or water courses.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Use self-contained breathing apparatus when in close proximity to fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Remove all sources of ignition. Ventilate area. Do not breathe vapours. Do not get in eyes, on skin, or on clothing. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Use chemically protective clothing.
Emergency procedures : Remove all sources of ignition. Ventilate area. Do not breathe vapours. Do not get in eyes, on skin, or on clothing.

6.2. Environmental precautions

Collect spillage. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak, if possible without risk. Dam up the liquid spill.
Methods for cleaning up : Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Provide good ventilation in process area to prevent formation of vapour. Do not breathe vapours. Do not get in eyes, on skin, or on clothing.
Hygiene measures : Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Take off immediately all contaminated clothing and wash it before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

DEC-QUAT® 200V

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Storage conditions	: Keep container closed when not in use. Keep only in the original container in a cool, well ventilated place away from : Incompatible materials. Store locked up.
Incompatible materials	: Strong acids. Strong alkalis. Strong oxidising agents.

7.3. Specific end use(s)

Disinfectant. Cleaning agent. For manufacturing and industrial use only. For professional use only.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Ethanol (64-17-5)

Ireland - Occupational Exposure Limits

Local name	Ethanol [Ethyl alcohol]
OEL STEL [ppm]	1000 ppm
Regulatory reference	Chemical Agents Code of Practice 2021

United Kingdom - Occupational Exposure Limits

Local name	Ethanol
WEL TWA (mg/m³)	1920 mg/m³
WEL TWA (ppm)	1000 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Provide good ventilation in process area to prevent formation of vapour. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure. Wear suitable protective clothing.

8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or face shield. Standard EN 166 - Personal eye-protection.

8.2.2.2. Skin protection

Skin and body protection:

Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin contact. Impervious footwear must be worn

DEC-QUAT® 200V

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hand protection:

Wear chemically resistant protective gloves. Standard EN 374 - Protective gloves against chemicals. The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed. Gloves should be removed and replaced if there are any signs of degradation or breakthrough.

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Standard EN 14387 - Gas filter(s), combined filter(s).

8.2.2.4. Thermal hazards

Thermal hazard protection:

Not required for normal conditions of use.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Other information:

Do not eat, drink or smoke during use. Handle in accordance with good industrial hygiene and safety procedures.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless to straw yellow.
Appearance	: Colourless to straw-coloured liquid.
Odour	: Organic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Combustible liquid
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 68.5 °C (155.3 °F) (Tag closed cup)
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 6 – 8
Viscosity, kinematic	: 13.6 mm²/s (22 °C/71.6 °F)
Solubility	: Water: Miscible
Log Kow	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: 1.006 (Water = 1)
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under recommended handling and storage conditions (see section 7).

DEC-QUAT® 200V

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7). Combustible liquid and vapour.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong oxidising agents. Strong alkalis. Strong acids.

10.6. Hazardous decomposition products

Fire may produce irritating, corrosive and/or toxic gases. Hydrogen chloride. Nitrogen oxides. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Didecyldimethylammonium chloride (7173-51-5)

LD50 oral, rat	≈ 329 mg/kg bodyweight (OECD 401 method)
LD50 dermal, rabbit	> 1000 mg/kg bodyweight (OECD 402 method)

tetrasodium ethylene diamine tetraacetate (64-02-8)

LD50 oral, rat	1780 – 2000 mg/kg
----------------	-------------------

Alcohols, C9-11, branched and linear, ethoxylated (68439-46-3)

LD50 oral, rat	3488 mg/kg (female)(Read-across)
LD50 dermal, rabbit	2000 mg/kg (male)(Read-across)
LC50 inhalation, rat (mg/l)	> 1.6 mg/l - 4 Hours (Read-across)

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)

LD50 oral, rat	426 mg/kg
----------------	-----------

Ethanol (64-17-5)

LD50 oral, rat	10470 mg/kg
LC50 inhalation, rat (mg/l)	50000 mg/m ³

Skin corrosion/irritation	: Causes severe skin burns. pH: 6 – 8
Serious eye damage/irritation	: Causes serious eye damage. pH: 6 – 8
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met

Ethanol (64-17-5)

IARC group	1 - Carcinogenic to humans,(Ethanol in alcoholic beverages)
------------	---

DEC-QUAT® 200V

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met

tetrasodium ethylene diamine tetraacetate (64-02-8)

STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified

Additional information

: Based on available data, the classification criteria are not met

DEC-QUAT® 200V

Viscosity, kinematic	13.6 mm ² /s (22 °C/71.6 °F)
----------------------	---

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties	: No additional information available
--	---------------------------------------

11.2.2. Other information

Potential adverse human health effects and symptoms	: Causes severe skin burns and eye damage, Inhalation of vapours may cause respiratory irritation, Severe irritation or burns to the mouth, throat, oesophagus, and stomach, Harmful if swallowed.
---	--

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.

Didecyldimethylammonium chloride (7173-51-5)

LC50 fish	≈ 0.49 mg/l - 96 Hours (Danio rerio), (OECD 203 method)
EC50 Daphnia	≈ 0.029 mg/l - 48 Hours (Daphnia magna, Mobility), (OECD 202 method)
ErC50 algae	≈ 0.062 mg/l - 72 Hours (Pseudokirchneriella subcapitata), (OECD 201 method)
NOEC chronic crustacea	≈ 0.021 mg/l - 21 days (Daphnia magna, reproduction), (OECD 211 method)
NOEC, algae	≈ 0.013 mg/l (72 Hours, Pseudokirchneriella subcapitata, Growth rate (OECD 201 method))

Alcohols, C9-11, branched and linear, ethoxylated (68439-46-3)

LC50 fish	5 – 7 mg/l - 96 Hours (Oncorhynchus mykiss)
EC50 Daphnia	2.5 mg/l - 48 Hours (Daphnia magna, Mobility)

Ethanol (64-17-5)

LC50 fish	11200 mg/l (calculated value)
LC50 other aquatic organisms	4432 mg/l - 7 days (Lemna gibba)
EC50 Daphnia	5012 mg/l (calculated value) (freshwater)
EC50 - Crustacea [2]	857 mg/l (calculated value) (marine water)
EC50 72h - Algae [1]	275 mg/l - 72 Hours (Chlorella vulgaris)
NOEC (chronic)	280 mg/l - 7 days (Lemna gibba)

DEC-QUAT® 200V

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ethanol (64-17-5)

NOEC chronic fish	250 mg/l - 120 Hours (Danio rerio)
NOEC chronic crustacea	9.6 mg/l - 10 days (Ceriodaphnia dubia, reproduction)
NOEC chronic algae	11.5 mg/l - 72 Hours (Chlorella vulgaris)

12.2. Persistence and degradability

Didecyldimethylammonium chloride (7173-51-5)

Persistence and degradability	Readily biodegradable.
Biodegradation	≈ 69 % - 28 days (Activated sludge), (OECD 301D method)

tetrasodium ethylene diamine tetraacetate (64-02-8)

Persistence and degradability	Not readily biodegradable.
-------------------------------	----------------------------

Ethanol (64-17-5)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

12.3. Bioaccumulative potential

Didecyldimethylammonium chloride (7173-51-5)

Log Pow	≈ 2.59 (20 °C, pH ≈ 7), (OECD 105 method)
Bioaccumulative potential	Based on the n-octanol/water partition coefficient accumulation in organisms is not expected.

tetrasodium ethylene diamine tetraacetate (64-02-8)

BCF - Fish [1]	1.8 l/kg
Log Pow	-13.17 (calculated value)
Bioaccumulative potential	Not expected to bioaccumulate.

Alcohols, C9-11, branched and linear, ethoxylated (68439-46-3)

Log Pow	3.74 (25 °C)
---------	--------------

Ethanol (64-17-5)

Bioconcentration factor (BCF REACH)	3
Log Pow	-0.35 (20 °C)

12.4. Mobility in soil

DEC-QUAT® 200V

Ecology - soil	Miscible with water.
----------------	----------------------

Didecyldimethylammonium chloride (7173-51-5)

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	5.75 (20 °C), (OECD 106 method)
Ecology - soil	Expected to adsorb to soil. Low mobility (soil).

Alcohols, C9-11, branched and linear, ethoxylated (68439-46-3)

Ecology - soil	Moderately soluble in water.
----------------	------------------------------

DEC-QUAT® 200V

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.5. Results of PBT and vPvB assessment

DEC-QUAT® 200V

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container at hazardous or special waste collection point.
Additional information : Handle empty containers with care.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

14.1. UN number or ID number

UN-No. (ADR) : UN 1903
UN-No. (IMDG) : UN 1903
UN-No. (IATA) : UN 1903

14.2. UN proper shipping name


Proper Shipping Name : DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Didecyldimethylammonium chloride, Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides)
Proper Shipping Name (IMDG) : DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Didecyldimethylammonium chloride, Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides)
Proper Shipping Name (IATA) : Disinfectant, liquid, corrosive, n.o.s. (Didecyldimethylammonium chloride, Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides)
Transport document description (ADR) : UN 1903 DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Didecyldimethylammonium chloride, Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides), 8, III, (E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG) : UN 1903 DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Didecyldimethylammonium chloride, Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides), 8, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA) : UN 1903 Disinfectant, liquid, corrosive, n.o.s. (Didecyldimethylammonium chloride, Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides), 8, III, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8

Hazard labels



DEC-QUAT® 200V

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

IMDG

Transport hazard class(es) (IMDG)

: 8

Danger labels (IMDG)

: 8

:



IATA

Transport hazard class(es) (IATA)

: 8

Danger labels (IATA)

: 8

:



14.4. Packing group

Packing group

: III

Packing group (IMDG)

: III

Packing group (IATA)

: III

14.5. Environmental hazards

Dangerous for the environment

: Yes

Marine pollutant

: Yes

Other information

: No supplementary information available

14.6. Special precautions for user

Overland transport

Tunnel restriction code (ADR)

: E

Transport by sea

No data available

Air transport

No data available

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3.	DEC-QUAT® 200V ; Alcohols, C9-11, branched and linear, ethoxylated ; Ethanol	Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008
3(a)	Ethanol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F

DEC-QUAT® 200V

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	DEC-QUAT® 200V ; Alcohols, C9-11, branched and linear, ethoxylated ; Ethanol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	DEC-QUAT® 200V	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Ethanol	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Substances subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals: Didecyldimethylammonium chloride (7173-51-5)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
1	Identification of the substance/mixture and of the company/undertaking	Modified	
2	Hazards identification	Modified	
3	Composition/information on ingredients	Modified	
6	Accidental release measures	Modified	
7	Handling and storage	Modified	
8	Exposure controls/personal protection	Modified	
11	Toxicological information	Modified	
12.	Ecological information	Modified	
14	Transport information	Modified	
15	Regulatory information	Modified	
16	Other information	Modified	

DEC-QUAT® 200V

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:

	ADR (Accord européen relatif au transport international des marchandises Dangereuses par Route)
	ATE (Acute Toxicity Estimate)
	CAS (Chemical Abstracts Service) number
	CLP (Classification, Labeling and Packaging)
	DNEL (Derived No Effect Level)
	EC (European Community)
	EC50 (Effective Concentration 50%)
	EN (European Norm)
	IARC (International Agency for Research on Cancer)
	IATA (International Air Transport Association)
	IMDG (International Maritime Dangerous Goods Code)
	IMO (International Maritime Organisation)
	LC50 (Lethal Concentration 50%)
	LD50 (Lethal Dose 50%)
	MAC (Maximal Allowed Concentration)
	OECD (Organisation for Economic Co-operation and Development)
	PBT (Persistent, Bioaccumulative and Toxic)
	PNEC (Predicted No Effect Concentration)
	REACH (Registration, Evaluation and Authorisation of Chemicals)
	RID (Règlement concernant le transport international ferroviaire de marchandises)
	STEL (Short Term Exposure Limit)
	TWA (Time Weighted Average)
	UNxxxx (Number assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods)
	vPvB (very Persistent and very Bioaccumulative)

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

: Danger. Keep out of reach of children. Classification procedure according to Regulation (EC) No. 1272/2008 [CLP]: Physical hazards: On basis of test data. Health hazards: On basis of test data & Calculation method. Environmental hazards: Calculation method. Marine Pollutants packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 lt or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids are not subject to any other provisions of this Code relevant to marine pollutants provided the packagings meet the general requirements of 4.1.1.1, 4.1.1.2, and 4.1.1.4 to 4.1.1.8. In the case of marine pollutants also meeting the criteria of inclusion in another hazards class all provisions of the Code relevant to any additional hazards continue to apply.

Full text of H- and EUH-statements:

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4

DEC-QUAT® 200V

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
EUH071	Corrosive to the respiratory tract.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2

Safety Data Sheet (SDS), EU

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Veltek Associates, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Veltek Associates, Inc. accepts no liability for loss or damage resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

This SDS has been translated into the official language of the country/region in which the product is to be placed on the market. Where no official translation exists, the regulatory text is reported in English, as it appears in the relevant regulatory text.