Distel

High-Level Disinfectant Wipes CLP Compliance Factsheet

The appearance of Distel High-Level Disinfectant Wipes is changing to comply with the new Classification, Labelling and Packaging (CLP) Regulation.

CLP is the European Interpretation of GHS (Global Harmonisation System) for Classification, which is a UN initiative introduced in 1992. Its aim is to drive greater consistency in chemical labelling across the world, with the goal of increasing user and environmental safety associated with use of chemicals.

The CLP Regulation replaces the Dangerous Substances Directive (DSD) and the Chemicals Hazard Information and Packaging for Supply (CHIP) Regulation.

CLP becomes mandatory from 1 June 2015. This means that the appearance of labels and Material Safety Data Sheets of Distel High-Level Disinfectant Wipes will change. Already manufactured and labelled products will continue to be supplied after 1 June 2015 until stocks last, resulting in a mix of CHIP and CLP labels during a short period.

Please contact your local Tristel representative or Customer Services to request CLP Material Safety Data Sheets.

For further detailed information regarding the CLP Regulation, please visit www.echa.europa.eu.

•••

Distel is manufactured in Great Britain by:

Tristel Solutions Limited, Lynx Business Park,

Fordham Road, Snailwell, Cambridgeshire, CB8 7NY, UK

Call: +44 (0)1638 721500 Email: mail@tristel.com Visit: www.tristel.com

Use biocides safely. Always read the label and product information before use.



DistelHigh-Level Disinfectant Wipes label and MSDS

expiry date see base



New CLP signal word 'Danger' and New CLP hazard hazard statement pictogram **New CLP** precautionary Manufactured in Great Britain by Distel Tristel Solutions Limited, Lynx Busine statements inailwell, Cambridgeshire, CB8 7NY, UK T+44 (0)1638 721500 F+44 (0)1638 721911 High-leve E mail@tristel.com W www.tristel.co Product code: TM355 **Disinfectant Wipes** Notification Number (Germany): N-5439 Distel High Level Disinfectant Wipes are Warning intended for cleansing of hard surfaces of non Contains polymeric biguanide Alkyldimethy benzyl ammonium chloride, invasive, non-lumened medical devices such as, hydrochloride. monitors, IV poles, and X-ray equipment. Not to Didecyl dime hyl ammonium chloride. May produce an allergic reaction be used to disinfect invasive medical devices. Storage · Causes serious eye irritatio The Distel formulation has been tested- Store product out of direct sunlight. · As non-corrosive to instruments, Precautions Keep between 5 C and 25 C ·Wear protective gloves/protect when used as per directions · As non-irritant and non-fuming, Disposal / recommendations clothing/eye protection when used as per directions. . Dispose of container and liquid contents in • IF IN EYES: Rinse cautiously wi accordance with local policy and national water for several minutes. Preparation and use Remove contact lenses if present regulations. · Before first use remove foil seal. and easy to do-continue rinsin · For professional use. · Remove wipe from tub and close lid to prevent · If eye irritation persists get remaining wipes from drying. medical advice. · Wipe already contains active ingredients. Do not add water or other chemicals. · Wipe equipment or surface as required and allow to dry. LOT For hatch number and

Distel High-Level Disinfectant Wipes are available in tubs of 100 and 200 wipes.

New CLP 'hazards identification' section

